

**SNDT Women's University**  
1, Nathibai Thackersey Road,  
Mumbai 400 020  
Phone: +91 22 2204 1870  
Fax: +91 22 2204 8226



श्रीमती ना. दा. डाकरजी विद्यापीठ  
१, नाथीबाई ठाकरसी रोड  
मुंबई ४०० ०२०  
Telegram: UHIWOMEN  
Website: sndt.ac.in

☆  
Estate Dept./2021-22 /(Not.01)/११

July 23, 2021

**Sub: Quotation for Cleaning work of rain water gutter, drainage pipe line, cement concrete pipe line of electrical cable, water tank and roof of bldg. at SNDT Women's University Pune Campus.**

**Madam/Sir,**

Sealed quotations are invited for Cleaning work of rain water gutter, drainage pipe line, cement concrete pipe line of electrical cable, water tank and roof of bldg. at SNDT Women's University Pune Campus. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the Office of "The Registrar" at Churchgate campus on or before 31<sup>st</sup> July 2021 Contractor should submit their.

- i) GST No.
- ii) PAN no.
- iii) Client List,
- iv) Company profile,
- v) Last 3 years audited profit lost statement along with Quotation

Quotation should be submitted in closed envelop and on top write the subject.

☆  
**The University reserves the right to reject any or all quotations without assigning any reasons thereof.**

*Mira Desai*  
(Dr. Mira Desai )  
Registrar(Addl.Charge)



(Offer should filled on letter head)

**Annexure A**

To,  
The Registrar  
SNDT Women's University,  
Churchgate, Mumbai

**Sub: Quotation Cleaning work of rain water gutter, drainage pipe line, cement concrete pipe line of electrical cable, water tank and roof of bldg. at SNDT Women's University Pune Campus.**

**Respected Madam/Sir,**

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr. No.	Description of Item	Qty	Unit	Rate	Amount
01	Manually clearing the chocks from underground Drainage line including inspection chambers with the help of required tools for proper functioning line chamber to chamber etc. complete.	685.00	Rmt		
02	Manually clearing by removing the chocks from Nahani Trap, Gully trap, wash basin unit Sink and WC with the help of required tools for proper functioning	122.00	No		
03	Manually clearing by removing the chocks from underground drainage pipe line including inspection chamber with the help of required tools for proper functioning the same etc. complete	72.00	No		
04	Manually clearing storm water drain line and rain water chamber with open gutter and including cleaning with excavation if necessary to make proper functioning of chambers and rain water line etc. complete.	86.00	No		
05	Cleaning elevated water storage Reservoir within a given period, by using bleaching powder at the rate of 14 gm/sq.m washing thrice potassium permanganate at the rate of 2.50 gm/sq.m finally, cleaning washing by using nylon brush, coir string and duster, bailing out water etc. complete. lx) Tank capacity up to 40,001 to 50000 litre .	4.00	No		
06	Manually cleaning and removing of small tree bush at	92.00	No		

**SNDT Women's University**

1, Na. Jibin Thar, Torsey Road,  
Mumbai - 400 010  
Phone : 022 22123456  
Fax : 022 22123456



श्रीमती ना. दा. टाण्डे  
१, नाडीबाई टाकरी गली  
मुंबई ४०० ०१०  
Telegram: UNIWOMEN  
Website: sndt.ac.in

	outside of building wall and all cleaning of roofs chajjas of the building including all lead and lift. With all necessary tools required for the cleaning etc. complete.				
07	Cleaning elevated water storage Reservoir within a given period, by using bleaching powder at the rate of 14 gm/sq.m. washing thrice potassium permanganate at the rate of 2.50 gm/sq.m. finally, cleaning washing by using nylon brush, coir string and duster, bailing out water etc. complete. xi) Capacity above one lakh upto 4.00 lakh	400000.00	Litre		
08	Cleaning elevated water storage Reservoir within a given period, by using bleaching powder at the rate of 14 gm/sq.m. washing thrice potassium permanganate at the rate of 2.50 gm/sq.m. Finally, cleaning washing by using nylon brush, coir string and duster, bailing out water etc. complete. i) Tank capacity up to 2,000 litre.	4.00	No		
09	Cleaning elevated water storage Reservoir within a given period, by using bleaching powder at the rate of 14 gm/sq.m. washing thrice potassium permanganate at the rate of 2.50 gm/sq.m. Finally, cleaning washing by using nylon brush, coir string and duster, bailing out water etc. complete. ii) Tank capacity up to 2,001 to 5000 litre.	14.00	No		
	<b>Total</b>				

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You.

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable