

SNDT Women's University
1, Nathibai Thackersey Road,
Mumbai 400 020
Phone +91 22 2203 1879
Fax +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ
१, नाथीबाई ठाकरसी मार्ग
मुंबई ४०० ०२०
Telegram: UNIWOMEN
Website: sndt.ac.in

Estate Dept./2021-22 /(Not.02)/135

September 23 , 2021

Sub: Quotation for Repairs and renovation of store room and water pump room at SNDT Women's University, Pune Campus.

Madam/Sir,

Sealed quotations are invited for Repairs and renovation of store room and water pump room at SNDT Women's University, Pune Campus.. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the Office of "The Registrar" at Churchgate campus on or before 1st October 2021 Contractor should submit their.

- i) GST No.
- ii) PAN no.
- iii) Client List,
- iv) Company profile,
- v) Last 3 years audited profit lost statement along with Quotation

Quotation should be submitted in closed envelop and on top write the subject. as mentioned in the notification.

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

(Dr. Mira Desai)
Registrar(Addl.Charge)

SNDT Women's University

1, Nathibai Thackersey Road,
Mumbai 400 020
Phone : +91 22 2203 1879
Fax : +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ
१, नाथीबाई ठाकरसी मार्ग
मुंबई ४०० ०२०
Telegram : UNIWOMEN
Website : sndt.ac.in

(Offer should filled on letter head)

Annexure A

To,

The Registrar
SNDT Women's University,
Churchgate, Mumbai

Sub: Quotation Repairs and renovation of store room and water pump room at SNDT Women's University, Pune Campus.

Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr. No.	Description of Item	Qty	Unit	Rate	Amount
01	Labour charges for removing lod g.i sheet roof, doors, truss, purlin , and rafter etc. Complete.	22.00	No		
02	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in foundations and plinth of inner walls/ in plinth external walls including bailing out water manually , striking joints on unexposed faces, raking out joints on exposed faces and watering etc. Complete.	4.250	Cum.		
03	Providing internal cement plaster 20mm. thick in two coats in cement mortar 1:3 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete.	194.00	Sqm		
04	Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete.	3.710	Cum		
05	Providing and fixing colour coated Zinalume (R) AZ150 (min 150 gms/sq.mt. total on each side) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel	42.00	Sqm		

SNDT Women's University

1, Nathibat Thackersey Road,
Mumbai 400 020
Phone : +91 22 2203 1879
Fax : +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ
१, नाथिबाट ठाकरसी रोड
मुंबई ४०० ०२०
टेलिग्राफ: UNIVWOMEN
वेबसाईट: snwt.ac.in

	quality super durable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25 um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 950-1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center-to-center. The end rib shall be designed for anti-capillary groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. Including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 kg/sqm)				
06	Providing structural steel work of rectangular hollow steel section for steel trusses, other similar trussed items like purlin and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting, fixing in position making riveted/bolted/welded connections and one coat of anticorrosive paint and over it two coats of oil painting of approved quality and shade complete. Spec. No. : As directed by Engineer-in-charge.	0.270	M.T.		
07	Providing and laying Polished Tandur Stone flooring 25mm to 30mm thick required width in plain/diamond pattern on a bed of 1:6 C.M. including cement float, filling joints with neat cement slurry, curing, polishing and cleaning etc. complete.	42.00	Sqm		
08	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for plain or molded sills, cornice, jambs, block in course, or architraves of required size and shapes including steel centering, formwork, laying/ pumping, compacting, roughening them if special finish is to be provided,finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc.	2.50	Cum.		

SNDT Women's University

1, Nathibai Thackersey Road,
Mumbai 400 020
Phone: +91 22 2203 1879
Fax: +91 22 2201 8225



श्रीमती ना. दा. टाकरसी विद्यापीठ
१, नाथीबाई टाकरसी मार्ग
मुंबई ४०० ०२०
Telegram: UNIWOMEN
Website: sndt.ac.in

	(Wooden centering will not be allowed.) with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc)				
09	Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction etc. complete.	12.00	Cum.		
	Total				

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable