

**SNDT Women's University**

1, Nathibai Thackersey Road,  
Mumbai 400 020  
Phone: +91 22 2203 1879  
Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ  
१, नाथीबाई ठाकरसी मार्ग  
मुंबई ४०० ०२०  
Telegram: UNIWOMEN  
Website: sndt.ac.in

Estate Dept./2021-22 /178

December 03, 2021

**SUB: QUOTATION FOR REPAIRS AND RENOVATION WORK TO 2<sup>ND</sup> FLOOR OF GUEST HOUSE BLDG. AT S.N.D.T. UNIVERSITY PUNE CAMPUS**

**Madam/Sir,**

Sealed Quotation are invited for repairs and renovation work to 2<sup>nd</sup> floor of guest house bldg. at S.N.D.T.University Pune campus. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before 10<sup>th</sup> December 2021 Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope, financial bid envelope. Subject should be mentioned on each envelop.

Envelop may contains following documents in respective envelop:

**a) Technical Bid**


- I. Profile of the vendor
- II. Work Experience Certificate ( not only the client list)
- III. Registration Certificate
- IV. GST Certificate
- V. PAN Copy
- VI. If GST is not applicable then declaration of the same.
- VII. If any work which requires specific expertise/ technical specifications then the same should be mentioned.

**b) Financial Bid**

- I. Mentioning including all taxes
- II. If required component wise then format to be given component wise

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification


**The University reserves the right to reject any or all quotations without assigning any reasons thereof.**

  
3/12/21  
**(Dr. Subhash Waghmare)**  
**Registrar (Addl.Charge)**



**SNDT Women's University**

1, Nathibai Thackersey Road,  
Mumbai 400 020  
Phone: +91 22 2203 1879  
Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ  
१, नाथीबाई ठाकरसी मार्ग  
मुंबई ४०० ०२०  
Telegram: UNIWOMEN  
Website: sndt.ac.in

**(Offer Should filled on letter head)**  
**Annexure A**

To,  
The Registrar  
SNDT Women's University  
Churchgate, Mumbai

**Sub: QUOTATION FOR REPAIRS AND RENOVATION WORK TO 2<sup>ND</sup> FLOOR OF GUEST HOUSE BLDG.  
AT S.N.D.T. PUNE CAMPUS**

**Respected Madam/Sir,**

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr. No.	Description of Item	Qty	Unit	Rate	Amount
1	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris up to a distance of 50 meters or spreading in the compound and cleaning the site etc. complete.	223.00	Sqm.		
2	Removing cement tiles, or marble or polished Shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	42.00	Sqm.		
3	Removing doors and windows with frames and stacking the materials as directed with all leads, lifts etc. complete.	6.00	No.		
4	Removing doors and windows with frames and stacking the materials as directed with all leads, lifts etc. complete.	2.00	Cum		
5	Removing brick bat coba including stacking the spoils as directed with all leads, lifts etc. complete.	49.00	Cum		
6	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/granite/quartzite/gneiss metal for plain or molded sills, cornice, jambs, block in course, or architraves of required size and shapes including steel centering, plywood/steel formwork, laying/ pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering	6.00	Cum		

**SNDT Women's University**1, Nathibai Thackersey Road,  
Mumbai 400 020Phone: +91 22 2203 1879  
Fax: +91 22 2201 8226

श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

मुंबई ४०० ०२०

Telegram: UNIWOMEN

Website: sndt.ac.in

	uneven and honeycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.) with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)				
7	Providing and laying jointless Polydee-LM, a highly flexible elastomeric coating for RCC / cementations surface for terrace waterproofing on B.B. Coba / R.C.C, after application of TP-42 Primer on perfectly clean surface (free from loose dust and foreign matter) application of 1st coat of Polydee-LM @ 700 gms/sqm and applying 2nd coat of Polydee-LM @ 700 gms/sqm and finishing the same with sprinkling the AG-10 granules on the wet coating. (After finishing covering the treatment with 25mm cement plaster for protection with fibrillated 6mm Plyplast fibre @ 125 gms/sqm to be paid in separate item.) covering 7 years guarantee on Court Fee Stamp Paper of Rs. 100/- etc. complete.	213.00	Sqm.		
8	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete.	123.00	Sqm.		
9	Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish	6.00	Sqm.		
10	Providing and fixing European type white glazed earthenware coupled closet symphonic trap with symphonic low level white glazed 10 liters cistern with black backlit seat with all necessary pipe connection etc. complete.	2.00	No.		
11	Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required position laid on a	14.00	Sqm.		

**SNDT Women's University**

1, Nathibai Thackersey Road,

Mumbai 400 020

Phone: +91 22 2203 1879

Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

मुंबई ४०० ०२०

Telegram: UNIWOMEN

Website: sndt.ac.in

	bed of 1:4 cement mortar including cement float, filling joint with white/color cement slurry cleaning curing etc. complete.				
12	Providing and laying ceramic tiles having size 30 cm. x 45 cm. confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/ color cement slurry cleaning curing etc. complete.	30.00	Sqm.		
13	Providing and constructing Brick Masonry inspection trap Chamber 90cm x 45cm including 1:4:8 C.C foundation, 1:2:4 C.C.channels/half round glazed stoneware pipe channel, salt glazed stone-ware intercepting trap with rodding pipe set in 1:4:8 cement concrete block, brick masonry plastering inside and Outside, fixed in cement concrete with R.C.C. Cover medium duty 140 kg. etc complete	2.00	Sqm.		
14	Providing and fixing coloured glazed earthenware Wash Hand Basin of 55cm x 40 cm size including cold water pillar tap/cold and hot water pillar tap brackets, rubber plugs and brass chain, stop tap and necessary pipe connection including P.V.C. waste pipe and trap up to the outside face of the wall. Making good the damaged surface, testing etc. complete.	2.00	NO.		
15	Providing and Fixing 32 mm thick One piece single moulded puff ABSTRONE BUTADYNE STYRINE (ABS) Door shutter for internal use including toilets made up of outer ABS sheet of 1.2 mm thick having puff insulation of 35 to 40 Kg/Cum.density and 10 mm dia.for steel bars 2 Nos., wooden block to receive fixtures, having M.S. hinges 100 mm length, M.S. handles 150 mm length and 10 mm dia sliding door bolt etc. complete	3.00	Sqm.		
16	Labour charges for removing refixing of HDPE syntex water tank with all necessary fittings etc. Complete	15.00	No.		
17	Lowering down the debris obtained from breaking and removing the cement plaster/ burnt brick masonry of the first floor by any means without causing dust nuisance and damage to structure, stacking the same as and where directed including cleaning the site complete as directed	73.00	Cum.		
18	Scrapping the old plastered internal surface with sand paper and coating the entire surface with mixture of whiting or glue and linseed oil including scaffolding etc. complete as directed.	350.00	Cum.		

**SNDT Women's University**

1, Nathibai Thackersey Road,  
Mumbai 400 020  
Phone: +91 22 2203 1879  
Fax: +91 22 2201 8226

**श्रीमती ना. दा. ठाकरसी विद्यापीठ**

१, नाथीबाई ठाकरसी मार्ग  
मुंबई ४०० ०२०  
Telegram: UNIWOMEN  
Website: sndt.ac.in

19	Providing and applying Two coats of wall care Putty on plastered surface and ceiling and Walls to prepare surface even and smooth of approved make, etc. complete.	200.00	Sqm.		
20	Providing and applying priming coat on concrete/ masonry/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete.	350.00	Sqm		
21	Providing and applying Royale Luxury Emulsion of approved make on internal wall surface as detailed below Scrapping for surface with emery paper and wipe clean for area. Applying Asian / Berger Nerolac /Dulux Paints or equivalent wall primer with brush by adding mineral turpentine oil by 8 to 10% or water by 15 to 20% allowing to dry for 6 to 8 hour After applying Asian / Berger Nerolac / Dulux Paints or equivalent acrylic wall putty with appropriate proportion of water of allow to dry for period of 4 to 6 hours of activity. Scrapping with emery paper and wipe clean Applying paints Royal Luxury emulsion 1 <sup>st</sup> coat with brush water content water 40 to 45 % or 65 to 70% by role Applying paints Royale luxury emulsion 2 <sup>nd</sup> coat with brush with water content 40 to 45% or 65 to 70% by roller. (With prior approval of S.E.)	350.00	Sqm.		
22	Removing any kind of debris including loading in trunk and conveying to dumping point approved by MCGM, unloading, spreading etc. complete. With all leads and lifts.	73.00	Cum.		
23	Providing and fixing in position powder coated aluminum louvered windows / ventilator of various sizes with powder coating as per detailed drawing and specifications including aluminum frames 80 x 38 mm x 1.22 mm box type, 5 mm thick sheet glass louvers, of approved quality etc. complete.	5.50	Sqm.		
	Total				

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking you,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable